

# STANDARD KEYBOARD 104/105-Keys Keyboard (For Windows®95)

## FKB4725 SERIES



### ■ FEATURES

- Compatible with AT and PS/2
- Windows®95 keyboard function
- Excellent operation
  - Sharp tactile feedback
  - Curved keyswitch panel
  - Full-travel 3.8 mm (0.039 in.) keystroke, 55 g operating force (2.112 oz.), 20 g (0.704 oz.) tactile response
- High quality and reliability

### ■ MAIN APPLICATIONS

- Desktop type personal computer
- Workstation

### ■ CONSTRUCTION

- With enclosure and interface cable

# FKB4725 SERIES

## ■ SPECIFICATIONS

Item		Specification
		FKB4725 Series
Mechanical	Number of Keys	(1) U.S. : 104 keys (2) Europe: 105 keys
	Key Switch Type	Membrane switch
	Keytop	Rectangular cylindrical, Curved sculptured
	Operating Force	55 gf $\pm$ 25 gf (1.936 $\pm$ 0.88oz.)
	Stroke	3.8 mm $\pm$ 0.5 mm (0.149 in. $\pm$ 0.019 in.)
	Tactile	20 gf typ.(0.704oz.), Sharp
	Operating Life	30 M operations min.
	Tilt	2 levels
Electrical	Power Supply	+5 V $\pm$ 0.25 V DC, 100 mA max.
	Interface	Serial transmission (clock synchronous type) PS/2 compatible
	Interlock	F-key rollover
	Connector	Mini-DIN 6 pin
Environment	Operating Temperature	+10 to 50°C
	Storage Temperature	-10 to 60°C
	Humidity	90% RH max. at +40°C max. inversely proportional change to 50% RH at 60°C

# FKB4725 SERIES


## ■ PART NUMBERS

Parts Number	Number of Keys	Key Arrangement	Connector	Notes
FKB4725-201	104	U.S.	Mini-DIN 6 pin	Windows®95
FKB4725-202	105	U.K.		
FKB4725-203		German		
FKB4725-204		French		
FKB4725-205		Italian		
FKB4725-206		Spanish		
FKB4725-207		Swedish		
FKB4725-208		Swiss		

Note: Keyboards with "Fujitsu" mark are also available.


## ■ CONNECTOR PIN ASSIGNMENT

Mini-DIN 6 pin




Pin number	Signal name
1	Data
2	—
3	GND (SG)
4	+5 V
5	Clock
6	—
SHELL	GND (FG)

## ■ OPERATING FORCE AND TRAVEL CHARACTERISTICS




# FKB4725 SERIES

## DIMENSIONS




## KEY LAYOUT

U.S.




U.K.




# FKB4725 SERIES

## German



## French



## Italian

